

Garage, Shed & Workshops Price List

All prices include VAT, Delivery, Installation and 10 Years Structural Guarantee



White Finish 2-3 From £4,030



Anthracite Finish 4-5 From £4,410



Stone Finish 6-7 From £4,630



Woodgrain Finish 8-9 From £4,410



Timber Finish 10-11 From £2,950



Clad Finish 12-13

Why Choose a Hanson Garage?

- ✓ We offer a free no obligation site survey
- ✓ Offer expert advice and guidance
- ✓ Unrivalled choice of building options
- ✓ Garage dismantle service available
- ✓ Can provide full concrete base works
- ✓ Market leading garage doors
- ✓ Quick installation
- ✓ Unique interlocking concrete panels
- ✓ Pressure treated timber
- ✓ 10 year Structural Guarantee
- ✓ All buildings installed by a Hanson installer
- ✓ UK leading supplier for over 40 years



Interlocking Panels

All of our concrete panels feature an interlocking system with bolted joints along with an internal mastic seal which forms outstanding weather resistance and security.

APEX ROYALE

OUR BEST SELLING GARAGE (APEX ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Spanish Red Cement Fibre Roof Sheets with close fitting ridge tile
- Hormann White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX ROYALE (Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
14'1" (4.29m)	4260	4750	5000	5710	6650	7210	8020	8570	9640	9950	11900
16'1" (4.90m)	4430	4970	5220	5920	6900	7450	8420	8900	9940	10340	12330
18'1" (5.51m)	4650	5190	5490	6210	7120	7830	8730	9250	10310	10700	12740
20'1" (6.12m)	4880	5420	5670	6410	7350	8070	9060	9550	10670	11000	13130
22'1" (6.73m)	5130	5660	5920	6590	7610	8510	9430	9870	11020	11320	13540
24'1" (7.34m)	5310	5850	6120	6820	7860	8900	9750	10180	11320	11660	13960
26'1" (7.95m)	5540	6120	6430	7050	8100	9230	10180	10520	11680	12060	14370
Additional 2'	225	245	265	285	300	355	365	375	385	425	455

KNIGHT ROYALE

OUR BEST SELLING GARAGE (PENT ROOF)

- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Hormann White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



KNIGHT ROYALE (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	4030	4640	4980	5490	6590	6730	7470	8140	n/a	n/a	n/a
16'1" (4.90m)	4200	4800	5140	5690	6770	6780	7670	8360	n/a	n/a	n/a
18'1" (5.51m)	4370	4990	5340	5850	7020	7180	7890	8540	n/a	n/a	n/a
20'1" (6.12m)	4550	5180	5520	6040	7200	7370	8130	8760	n/a	n/a	n/a
22'1" (6.73m)	4750	5360	5690	6230	7430	7560	8360	8980	n/a	n/a	n/a
24'1" (7.34m)	4900	5540	5870	6390	7640	7790	8540	9210	n/a	n/a	n/a
26'1" (7.95m)	5060	5730	6080	6620	7910	8100	8880	9570	n/a	n/a	n/a
Additional 2'*	190	215	225	235	275	310	325	350	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE ROYALE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Hormann White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



DUCHESS ROYALE (For Duke just add 5%)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	5030	5530	5660	6350	6980	7630	7790	8180	n/a	n/a	n/a
16'1" (4.90m)	5180	5720	5870	6590	7270	8010	8210	8590	n/a	n/a	n/a
18'1" (5.51m)	5340	5910	6070	6860	7550	8400	8610	9000	n/a	n/a	n/a
20'1" (6.12m)	5470	6100	6270	7100	7830	8790	9030	9420	n/a	n/a	n/a
22'1" (6.73m)	5730	6360	6580	7430	8180	9210	9490	9880	n/a	n/a	n/a
24'1" (7.34m)	5970	6630	6890	7760	8540	9620	9930	10340	n/a	n/a	n/a
26'1" (7.95m)	6230	6920	7180	8100	8890	10040	10390	10790	n/a	n/a	n/a
Additional 2'*	260	275	300	325	340	390	420	425	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH ROYALE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS


- Hormann White Georgian design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Hormann White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH ROYALE (Higher Pitched Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)	
14'1" (4.29m)	5470	6140	6440	7360	8600	9310	10380	11090	12490	12880	15420
16'1" (4.90m)	5710	6420	6730	7630	8910	9640	10900	11520	12870	13390	15990
18'1" (5.51m)	5990	6700	7080	8020	9210	10120	11310	11980	13370	13850	16520
20'1" (6.12m)	6280	7000	7310	8280	9500	10440	11740	12360	13820	14250	17030
22'1" (6.73m)	6610	7290	7630	8510	9820	11020	12220	12770	14280	14670	17570
24'1" (7.34m)	6850	7550	7910	8810	10160	11520	12620	13190	14670	15100	18100
26'1" (7.95m)	7150	7910	8300	9120	10480	11950	13180	13620	15130	15640	18630
Additional 2'	270	295	315	340	365	435	440	450	465	515	555

SHEDS / WORKSHOPS ROYALE

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Spanish Red Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Hormann White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	KNIGHT ROYALE CONCRETE SHEDS & WORKSHOPS							APEX ROYALE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	3050	3090	3130	3400	3560	3870	4560	3280	3340	3410	3820	4020	4370	4900
6'1" (1.85m)	3240	3280	3320	3510	3670	4000	4680	3360	3410	3530	3960	4150	4440	5080
8'1" (2.46m)	3340	3390	3420	3670	3790	4080	4800	3470	3530	3600	4150	4270	4590	5230
10'1" (3.07m)	3400	3440	3480	3790	3940	4260	5020	3590	3630	3690	4270	4440	4810	5400
12'1" (3.68m)	3480	3520	3550	3940	4170	4530	5330	3690	3740	3780	4440	4700	5060	5670
14'1" (4.29m)	3550	3590	3630	4220	4490	4910	5820	3780	3820	3860	4690	4920	5330	6100
16'1" (4.90m)	3720	3770	3810	4300	4860	5260	6300	3980	4020	4050	4880	5320	5670	6480
Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260	315

KNIGHT SHED

APEX SHED

APEX GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		
Length ▶	14'1" (4.29m)	4660	5210	5480	6250	7300	7890	8800	9410	10580	10920	13060
	16'1" (4.90m)	4850	5450	5710	6470	7560	8180	9250	9770	10910	11350	13530
	18'1" (5.51m)	5090	5700	6010	6810	7820	8580	9580	10140	11320	11750	13980
	20'1" (6.12m)	5350	5940	6200	7030	8060	8850	9950	10480	11710	12070	14420
	22'1" (6.73m)	5610	6190	6470	7220	8330	9340	10350	10830	12100	12430	14870
	24'1" (7.34m)	5810	6410	6710	7470	8600	9770	10700	11180	12430	12790	15330
	26'1" (7.95m)	6060	6710	7050	7740	8890	10130	11160	11540	12820	13250	15780
	Additional 2'	225	245	265	285	300	355	365	375	385	425	455

KNIGHT GRAPHITE

ULTRA MODERN DESIGN OF GARAGE (PENT ROOF)

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking concrete panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Box Profile Steel roof sheets with felt underlay (full length up to 20' long)
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

KNIGHT GRAPHITE (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4410	5080	5440	6010	7230	7370	8180	8920	n/a	n/a	n/a
	16'1" (4.90m)	4590	5260	5620	6240	7410	7430	8400	9170	n/a	n/a	n/a
	18'1" (5.51m)	4790	5460	5840	6420	7700	7870	8650	9380	n/a	n/a	n/a
	20'1" (6.12m)	4980	5660	6040	6620	7900	8090	8910	9620	n/a	n/a	n/a
	22'1" (6.73m)	5190	5850	6240	6820	8150	8300	9170	9850	n/a	n/a	n/a
	24'1" (7.34m)	5360	6050	6430	7010	8380	8540	9380	10090	n/a	n/a	n/a
	26'1" (7.95m)	5540	6270	6660	7250	8680	8890	9740	10500	n/a	n/a	n/a
	Additional 2'*	190	215	225	235	275	310	325	350	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE GRAPHITE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

DUCHESS GRAPHITE (For Duke just add 5%)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5520	6050	6200	6960	7660	8370	8540	8960	n/a	n/a	n/a
	16'1" (4.90m)	5660	6260	6420	7230	7970	8790	9000	9420	n/a	n/a	n/a
	18'1" (5.51m)	5840	6470	6650	7520	8280	9220	9450	9880	n/a	n/a	n/a
	20'1" (6.12m)	6000	6670	6880	7780	8590	9640	9900	10320	n/a	n/a	n/a
	22'1" (6.73m)	6270	6970	7200	8150	8980	10090	10420	10830	n/a	n/a	n/a
	24'1" (7.34m)	6550	7280	7540	8520	9370	10570	10910	11350	n/a	n/a	n/a
	26'1" (7.95m)	6830	7580	7870	8860	9760	11020	11410	11860	n/a	n/a	n/a
	Additional 2'*	260	275	300	325	340	390	420	425	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH GRAPHITE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Black Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts
- Anthracite PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with felt underlay (Choice of Colours)
- Hormann Black 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



** Alternative Door Manufacturer used for Doors 9' and above

MONARCH GRAPHITE (Higher Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		
Length ▶	14'1" (4.29m)	6000	6710	7070	8070	9430	10220	11390	12180	13700	14150	16950
	16'1" (4.90m)	6240	7020	7370	8370	9770	10580	11960	12640	14120	14700	17550
	18'1" (5.51m)	6570	7350	7750	8800	10090	11100	12410	13150	14670	15210	18140
	20'1" (6.12m)	6890	7670	8010	9080	10430	11450	12880	13570	15170	15650	18710
	22'1" (6.73m)	7240	7990	8370	9340	10780	12100	13410	14030	15680	16110	19290
	24'1" (7.34m)	7510	8280	8670	9660	11140	12640	13860	14480	16110	16580	19880
	26'1" (7.95m)	7830	8670	9110	10000	11510	13110	14470	14950	16610	17180	20480
	Additional 2'	270	295	315	340	365	435	440	450	465	515	555

SHEDS / WORKSHOPS GRAPHITE

- Interlocking Concrete Panels with multispar finish
- Anthracite PVCu Fascias
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Black Hormann 3' (915mm) wide 3 Point Locking Steel Personnel Door
- Black PVCu guttering
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Foam Filler to eaves
- Internal Cement Fillet



4

Type ▶	KNIGHT GRAPHITE CONCRETE SHEDS & WORKSHOPS							APEX GRAPHITE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3340	3370	3420	3710	3890	4240	4900	3580	3640	3730	4170	4310	4690
	6'1" (1.85m)	3540	3590	3630	3830	4010	4360	5030	3670	3730	3850	4250	4440	4780
	8'1" (2.46m)	3640	3700	3720	4010	4140	4470	5170	3790	3850	3940	4440	4600	4930
	10'1" (3.07m)	3710	3750	3810	4140	4320	4590	5390	3910	3960	4030	4600	4770	5150
	12'1" (3.68m)	3810	3850	3890	4320	4480	4880	5620	4040	4080	4130	4770	5060	5350
	14'1" (4.29m)	3870	3930	3970	4530	4830	5290	6160	4150	4180	4220	5050	5210	5630
	16'1" (4.90m)	4060	4110	4160	4630	5220	5560	6650	4260	4310	4350	5260	5620	5990
	Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260

5

APEX EARL

OUR LATEST LUXURY GARAGE (APEX ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile
- Agate Grey 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



APEX EARL (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	4900	5470	5750	6560	7660	8290	9240	9880	11110	11460	13720
	16'1" (4.90m)	5100	5720	5990	6800	7940	8590	9710	10260	11450	11910	14210
	18'1" (5.51m)	5340	5980	6310	7150	8210	9010	10050	10650	11880	12330	14680
	20'1" (6.12m)	5610	6240	6510	7380	8470	9290	10450	11000	12290	12670	15140
	22'1" (6.73m)	5890	6500	6800	7580	8750	9810	10870	11370	12700	13050	15620
	24'1" (7.34m)	6100	6730	7040	7840	9030	10260	11230	11740	13050	13430	16090
	26'1" (7.95m)	6360	7040	7400	8130	9330	10640	11720	12120	13460	13910	16570
Additional 2'	235	256	277	298	314	372	382	393	403	445	477	

KNIGHT EARL

OUR LATEST LUXURY GARAGE (PENT ROOF)

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True' Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Agate Grey 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



KNIGHT EARL (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4630	5340	5710	6310	7590	8590	9370	n/a	n/a	n/a
	16'1" (4.90m)	4820	5520	5910	6550	7790	8820	9620	n/a	n/a	n/a
	18'1" (5.51m)	5030	5740	6130	6740	8080	8270	9090	n/a	n/a	n/a
	20'1" (6.12m)	5230	5950	6340	6950	8290	8490	9350	n/a	n/a	n/a
	22'1" (6.73m)	5450	6150	6550	7160	8560	8720	9620	n/a	n/a	n/a
	24'1" (7.34m)	5620	6360	6750	7360	8800	8970	9850	n/a	n/a	n/a
	26'1" (7.95m)	5820	6580	6990	7620	9110	9340	10230	n/a	n/a	n/a
Additional 2'	199	225	235	246	288	325	340	367	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE EARL

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True' Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Agate Grey 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet

* Duke includes a Slate Effect Roof



DUCHESS EARL (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5790	6360	6510	7300	8040	8790	9410	n/a	n/a	n/a
	16'1" (4.90m)	5950	6570	6740	7590	8360	9230	9890	n/a	n/a	n/a
	18'1" (5.51m)	6130	6800	6980	7900	8690	9680	10370	n/a	n/a	n/a
	20'1" (6.12m)	6300	7010	7220	8170	9020	10120	10840	n/a	n/a	n/a
	22'1" (6.73m)	6580	7320	7560	8560	9420	10600	10940	n/a	n/a	n/a
	24'1" (7.34m)	6880	7640	7910	8950	9840	11090	11460	n/a	n/a	n/a
	26'1" (7.95m)	7180	7950	8270	9300	10240	11570	11980	n/a	n/a	n/a
Additional 2'	272	288	314	340	356	409	440	445	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

MONARCH EARL

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True' Brick Front Posts in Stone Grey
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Agate Grey 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



MONARCH EARL (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	6300	7050	7420	8480	9910	10730	11960	12790	14390	14850	17790
	16'1" (4.90m)	6550	7370	7740	8790	10260	11110	12560	13270	14830	15430	18430
	18'1" (5.51m)	6890	7710	8140	9240	10600	11660	13030	13810	15400	15970	19050
	20'1" (6.12m)	7230	8050	8410	9540	10950	12030	13520	14250	15930	16440	19650
	22'1" (6.73m)	7600	8390	8790	9810	11320	12700	14080	14730	16460	16920	20250
	24'1" (7.34m)	7880	8690	9100	10150	11700	13270	14560	15210	16920	17410	20880
	26'1" (7.95m)	8220	9100	9570	10500	12080	13770	15190	15700	17440	18030	21500
Additional 2'	283	309	330	356	382	456	461	472	487	540	582	

SHEDS / WORKSHOPS EARL

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Blue/Black Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Agate Grey 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	KNIGHT EARL CONCRETE SHEDS & WORKSHOPS							APEX EARL CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3500	3540	3590	3900	4080	4450	3750	3820	3920	4380	4530	4920	5530
	6'1" (1.85m)	3710	3770	3810	4030	4210	4580	3850	3920	4040	4460	4660	5020	5630
	8'1" (2.46m)	3830	3880	3910	4210	4350	4690	3980	4040	4140	4660	4830	5180	5800
	10'1" (3.07m)	3900	3940	4000	4350	4530	4820	4110	4160	4230	4830	5000	5410	5990
	12'1" (3.68m)	4000	4040	4080	4530	4700	5130	4240	4290	4340	5000	5320	5610	6290
	14'1" (4.29m)	4070	4120	4170	4760	5070	5550	4350	4390	4430	5300	5470	5910	6750
	16'1" (4.90m)	4270	4320	4360	4860	5480	5830	4470	4530	4570	5520	5900	6290	7200
Additional 2'	155	165	175	185	195	235	270	165	175	185	225	245	260	315

KNIGHT SHED

APEX SHED


APEX WOODTHORPE

STYLISH GREAT LOOKING GARAGE WITH A WOODGRAIN FINISH

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Mocha Brown Cement Fibre Roof Sheets with close fitting ridge tile
- Hormann 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

APEX WOODTHORPE (Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4660	5210	5480	6250	7300	7890	8800	9410	10580	10920	13060
	16'1" (4.90m)	4850	5450	5710	6470	7560	8180	9250	9770	10910	11350	13530
	18'1" (5.51m)	5090	5700	6010	6810	7820	8580	9580	10140	11320	11750	13980
	20'1" (6.12m)	5350	5940	6200	7030	8060	8850	9950	10480	11710	12070	14420
	22'1" (6.73m)	5610	6190	6470	7220	8330	9340	10350	10830	12100	12430	14870
	24'1" (7.34m)	5810	6410	6710	7470	8600	9770	10700	11180	12430	12790	15330
	26'1" (7.95m)	6060	6710	7050	7740	8890	10130	11160	11540	12820	13250	15780
Additional 2'		225	245	265	285	300	355	365	375	385	425	455

**Brick Fronts will be Cladded for this size Building


KNIGHT WOODTHORPE

SLOPING REARWARD GARAGE WITH A STYLISH WOODGRAIN FINISH

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Box Profile Steel roof sheets with felt underlay (full length up to 20' long)
- Hormann Woodgrain 33' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Golden Oak

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

KNIGHT WOODTHORPE (Rearward Sloping Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
Length ▶	14'1" (4.29m)	4410	5080	5440	6010	7230	8180	8920	n/a	n/a	n/a
	16'1" (4.90m)	4590	5260	5620	6240	7410	8400	9170	n/a	n/a	n/a
	18'1" (5.51m)	4790	5460	5840	6420	7700	8650	9380	n/a	n/a	n/a
	20'1" (6.12m)	4980	5660	6040	6620	7900	8090	8910	9620	n/a	n/a
	22'1" (6.73m)	5190	5850	6240	6820	8150	8300	9170	9850	n/a	n/a
	24'1" (7.34m)	5360	6050	6430	7010	8380	8540	9380	10090	n/a	n/a
	26'1" (7.95m)	5540	6270	6660	7250	8680	8890	9740	10500	n/a	n/a
Additional 2'*		190	215	225	235	275	310	325	350	n/a	n/a

*Maximum Length of 30'1" (9.17m)

DUCHESS/DUKE WOODTHORPE

REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)*
- Hormann Woodgrain 33' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

* Duke includes a Slate Effect Roof

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Golden Oak

DUKE

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

DUCHESS WOODTHORPE (For Duke just add 5%)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
Length ▶	14'1" (4.29m)	5520	6050	6200	6960	7660	8370	8540	8960	n/a	n/a
	16'1" (4.90m)	5660	6260	6420	7230	7970	8790	9000	9420	n/a	n/a
	18'1" (5.51m)	5840	6470	6650	7520	8280	9220	9450	9880	n/a	n/a
	20'1" (6.12m)	6000	6670	6880	7780	8590	9640	9900	10320	n/a	n/a
	22'1" (6.73m)	6270	6970	7200	8150	8980	10090	10420	10830	n/a	n/a
	24'1" (7.34m)	6550	7280	7540	8520	9370	10570	10910	11350	n/a	n/a
	26'1" (7.95m)	6830	7580	7870	8860	9760	11020	11410	11860	n/a	n/a
Additional 2'*		260	275	300	325	340	390	420	425	n/a	n/a

*Maximum Length of 30'1" (9.17m)


MONARCH WOODTHORPE

HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking**
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- Hormann Woodgrain 33' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Rosewood

** Woodgrain Up and Over doors only available up to 8' (2.44m) wide

MONARCH WOODTHORPE (Higher Pitched Roof)

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	6000	6710	7070	8070	9430	10220	11390	12180	13700	14150	16950
	16'1" (4.90m)	6240	7020	7370	8370	9770	10580	11960	12640	14120	14700	17550
	18'1" (5.51m)	6570	7350	7750	8800	10090	11100	12410	13150	14670	15210	18140
	20'1" (6.12m)	6890	7670	8010	9080	10430	11450	12880	13570	15170	15650	18710
	22'1" (6.73m)	7240	7990	8370	9340	10780	12100	13410	14030	15680	16110	19290
	24'1" (7.34m)	7510	8280	8670	9660	11140	12640	13860	14480	16110	16580	19880
	26'1" (7.95m)	7830	8670	9110	10000	11510	13110	14470	14950	16610	17180	20480
Additional 2'		270	295	315	340	365	435	440	450	465	515	555

**Brick Fronts will be Cladded for this size Building

SHEDS / WORKSHOPS WOODTHORPE

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Mocha Brown Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Hormann Woodgrain 33' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



KNIGHT SHED



APEX SHED

Type ▶	KNIGHT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	
Length ▶	4'1" (1.24m)	3340	3370	3420	3710	3890	4240	4900	3580	3640	3730	4170	4310	4690	5270
	6'1" (1.85m)	3540	3590	3630	3830	4010	4360	5030	3670	3730	3850	4250	4440	4780	5360
	8'1" (2.46m)	3640	3700	3720	4010	4140	4470	5170	3790	3850	3940	4440	4600	4930	5530
	10'1" (3.07m)	3710	3750	3810	4140	4320	4590	5390	3910	3960	4030	4600	4770	5150	5710
	12'1" (3.68m)	3810	3850	3890	4320	4480	4880	5620	4040	4080	4130	4770	5060	5350	5990
	14'1" (4.29m)	3870	3930	3970	4530	4830	5290	6160	4150	4180	4220	5050	5210	5630	6430
	16'1" (4.90m)	4060	4110	4160	4630	5220	5560	6650	4260	4310	4350	5260	5620	5990	6860
Additional 2'		155	165	175	185	195	235	270	165	175	185	225	245	260	315

APEX PRESSURE TREATED TIMBER

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4' (1.22m) wide timber Window (1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15) and Special Offer Packages below



TIMBER APEX (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
14'1" (4.29m)	2970	3470	3620	4180	4350	5480	5950	6430	7200	7480	9350	
16'1" (4.90m)	3160	3640	3810	4370	4590	5800	6300	6760	7530	7860	9730	
18'1" (5.51m)	3330	3810	3990	4530	4820	6100	6650	7090	7870	8220	10120	
20'1" (6.12m)	3510	3980	4180	4710	5050	6410	7000	7430	8200	8570	10520	
22'1" (6.73m)	3680	4150	4380	4900	5270	6710	7350	7760	8540	8940	10890	
24'1" (7.34m)	3860	4300	4560	5080	5500	7020	7690	8100	8880	9290	11280	
26'1" (7.95m)	4050	4480	4750	5240	5740	7330	8050	8420	9200	9650	11670	
Additional 2'	200	225	230	265	285	310	330	365	370	375	385	

KNIGHT PRESSURE TREATED TIMBER

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Galvanised 'C' Section steel trusses (up to 18' wide)
- 4' (1.22m) wide timber Window (1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Wide Range of Optional Extras (See Page 14-15) and Special Offer Packages below




TIMBER KNIGHT (Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)		8' Door (2.44m)			2 x 7' (2.13m)		2 x 8' Doors (2.44m)			
14'1" (4.29m)	2950	3430	3600	4040	4240	5460	6000	6450	n/a	n/a	n/a
16'1" (4.90m)	3130	3600	3770	4210	4470	5720	6280	6730	n/a	n/a	n/a
18'1" (5.51m)	3300	3770	3940	4380	4700	5970	6580	6990	n/a	n/a	n/a
20'1" (6.12m)	3470	3940	4120	4530	4940	6230	6890	7260	n/a	n/a	n/a
22'1" (6.73m)	3630	4090	4290	4710	5160	6480	7160	7530	n/a	n/a	n/a
24'1" (7.34m)	3800	4260	4460	4870	5390	6730	7470	7780	n/a	n/a	n/a
26'1" (7.95m)	3950	4450	4660	5080	5620	7050	7790	8120	n/a	n/a	n/a
Additional 2'*	175	195	200	210	255	285	300	300	n/a	n/a	n/a

*Maximum Length of 30'1" (9.17m)

SHEDS / WORKSHOPS

- 'Pressure Treated' timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Hormann 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide timber Window
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



Type ▶	KNIGHT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS						
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)
4'1" (1.24m)	2350	2400	2430	2600	2780	3100	3510	2430	2490	2560	2780	2980	3330	3690
6'1" (1.85m)	2550	2600	2620	2720	2880	3220	3660	2500	2560	2660	2930	3110	3430	3870
8'1" (2.46m)	2650	2690	2720	2880	3020	3320	3780	2620	2660	2750	3110	3240	3570	4010
10'1" (3.07m)	2710	2770	2810	3020	3170	3500	4010	2740	2780	2850	3240	3410	3780	4200
12'1" (3.68m)	2790	2840	2880	3170	3420	3800	4330	2850	2890	2940	3410	3690	4060	4480
14'1" (4.29m)	2860	2910	2950	3460	3750	4190	4850	2940	2980	3020	3680	3910	4320	4900
16'1" (4.90m)	3050	3090	3130	3560	4120	4550	5340	3130	3170	3210	3870	4310	4670	5300
Additional 2'	115	125	135	160	170	215	245	140	150	160	190	225	245	270



UPGRADE YOUR BUILDING UPGRADE OPTIONS

Why not upgrade your timber garage or shed? See our available options on pages 14-15. From maintenance free PVC fascias, brick fronts, additional doors and windows there will be an option to suit you. These include:

- Maintenance Free PVCu Fascias
- Brick fronts posts
- Hormann White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4'0" (1.22m) wide PVCu double glazed Window
- PVCu Guttering and downpipes
- Brick, stone or plank cladding
- Internal Cement Fillet
- Plus many more options

MAINTENANCE FREE PVC FASCIAS

FROM £435

BRICK FRONT POSTS

FROM £275

3 POINT LOCKING STEEL PERSONNEL DOOR

FROM £460

BRICK, STONE OR PLANK CLADDING

£80 PER FOOT

BRICK / STONE CLADDING




HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1') x £80
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

* Please note: Hanson's require a 1m area to work around the building in order to clad



PLANK CLADDING




HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1') x £80
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

* Please note: Hanson's require a 1m area to work around the building in order to clad



ROOF UPGRADE OPTIONS



£1.99 per square ft.
Apex Only
Cement Fibre Roof Sheets
in Spanish Red, Mocca Brown, Green or Blue/Black



£1.99 per square ft.
Apex Only
Coloured Box Profile Upgrade
Plastisol Coated with Felt Underlay



£8.00 per square ft.
Apex Only
Insulated Box Steel Roof Sheets
Box Profile, 40mm Thick Composite Sheets



£92 Each
Apex Only
Translucent Roof Sheets
Only available on Cement Fibre Roofs



£7.45 per square ft.
Apex Only
Tile Effect Steel Roof Sheets
Plastisol Coated with anti-condensation Felt Underlay in Anthracite, Terracotta, Black, Van Dyke Brown



£10.35 per square ft.
Apex Only
Insulated Tile Steel Roof Sheets
Plastisol Coated Steel Sheets with Felt Underlay and 25mm Insulation Board in Anthracite, Terracotta, Black, Van Dyke Brown



£11.90 per square ft.
Apex Only
Metro Tile Roof
in Titanium, Bramble, Rustic Brown, Terracotta, Tartan Green



£POA
Apex Only
Tapco Slate Roof
in Pewter Grey, Chesnut Brown, Moss Green, Stone Black, Brick Red, Wheat, Sand, Plum

BRICK FRONTS



Red Wirecut



Golden Russett



Rustic Brown



Cedar Buff



Graphite Rustic



Stone Grey

REAL BRICK FRONT POSTS - Your choice of 6 different bricks

7' Door (2.13m)		8' Door (2.44m)			10' (3.05m)	2 x 7' Doors (2.13m)		2 x 8' Doors (2.44m)		2x9' (2.74m)	
8'3" (2.51m)	9'3" (2.83m)	9'3" (2.83m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)
275	330	275	330	490	490	430	660	440	660	755	755

WINDOWS		
Timber	Fixed	Opening
EXTRA 4' (1.22m) TIMBER WINDOW	100	N/A
PVCu	White	Woodgrain / Anthracite
2' (610mm) FIXED	185	255
2' (610mm) OPENING	235	315
4' (1.22m) FIXED	225	305
4' (1.22m) OPENING	290	370
2' (610mm) FULL LENGTH	280	305



4'0" Timber Window (Fixed)



2'0" PVCu Window (Fixed or Opening)



4'0" PVCu Window (Fixed or Opening)



2'0" PVCu Full Height Window (Fixed)

UP AND OVER DOOR EXTRAS




£760
Electric Operator with 2 Remotes
(Customer must provide electrics)



£115
Extra Remote Handset



£178
Delatching Kit
(Extra security for up and over electronic doors only)



£115
Manual Release
(For electronic main doors where building has no other access)



£545
Throughway Garage
(Minimum Width 12' & Inc Rear U/O Door)




£105
4 Point Locking (9' Wide Max)




£75
Rubber Weatherbar
(Supply Only)


EXTRAS / NON STANDARD CHARGES



£9 ft. run
Guttering
in White, Black and Brown



£120 Single / £155 Double
Cement Fillet




£35 ft. run
Dividing Walls



2ft / 4ft / 6ft £115 / £132 / £154
Shelving Stacks



£24 for 12
Lining Clips
(Supply Only)



Garage Price + 15%
Lean-To / Tapered



£192
Non Standard Delivery Charge*
(*Subject to Survey)



£150
Non Standard Building Size Charge

EXTRA HEIGHT

EXTRA HEIGHT	
7' (2.13m) TO EAVES (7' HIGH DOOR)	15% of Garage Price
7'6" (2.28m) TO EAVES (7'6" HIGH DOOR)	25% of Garage Price
8' (2.44m) TO EAVES (7' HIGH DOOR)	30% of Garage Price
8' (2.44m) TO EAVES (7'6" HIGH DOOR)*	35% of Garage Price
9' (2.74m) TO EAVES AND OVER	60% of Garage Price

*8' To Eaves Door Maximum Door Height is 7'6"



FASCIAS

PVCu FASCIAS & VERGEBOARDS		
Available as an upgrade to Knight and Apex Garages, Sheds and Workshops		
Size	White	Woodgrain* / Anthracite
FASCIAS 8'-9' (2.43m-2.74m) WIDE	435	580
FASCIAS 10'-14' (3.00m-4.27m) WIDE	505	680
FASCIAS 16'-24' (4.88m-7.31m) WIDE	695	845

*Golden Oak or Rosewood Woodgrain



White (Apex)



White (Knight)




Golden Oak (Apex or Knight)



Rosewood (Apex or Knight)



Anthracite (Apex)



Anthracite (Knight)

PERSONNEL DOOR

PERSONNEL DOOR				
STEEL / PVCu DOORS (3pt LOCKING AS STANDARD ON STEEL DOORS)	White	Brown / Black	Woodgrain	Anthracite
3' (915mm) STEEL DOOR (VERTICAL)	460	565	865	-
3' (915mm) STEEL DOOR (GEORGIAN)	855	940	1020	-
4' (1.22m) STEEL DOOR (VERTICAL)	745	835	990	-
COLOURED STEEL DOORS				
PRICE ON APPLICATION				
3' (915mm) HALF/FULL GLAZED PVCu	830	-	1020	1020
4' (1.22m) PVCu FRENCH DOORS	1275	-	1510	1510



Vertical Steel



Georgian Steel



Half / Full Glazed PVCu



French Doors PVCu

MAIN DOOR OPTIONS



MAIN DOOR OPTIONS							
Door Size ▶	Vertical (Up and Over)	Horizontal	Georgian (Up and Over)	Ilkley (Up and Over)	Steel Side Hung	Roller ⁽¹⁾ (Insulated Electric Operated with Box)	Sectional ⁽²⁾ (Insulated 40mm Non Electric)
6' (1.83m) x 6'6" (1.98m)	605	N/A	N/A	N/A	1140	1150	N/A
7' (2.13m) x 6'6" (1.98m)	As standard	75	255	1070	1195	1245	1235
8' (2.44m) x 6'6" (1.98m)	As standard	125	395	1245	1255	1310	1305
9' (2.74m) x 6'6" (1.98m)	195	275	425	N/A	N/A	1380	1390
10' (3.05m) x 6'6" (1.98m)	1005	N/A	1285	N/A	N/A	1670	1535
12' (3.65m) x 6'6" (1.98m)	1520	N/A	1680	N/A	N/A	1900	1820
14' (4.26m) x 6'6" (1.98m)	1660	1380	2330	2130	N/A	1925	2000

UPGRADE: VERTICAL / HORIZONTAL / SECTIONAL / GEORGIAN / ILKLEY

White Provided as Standard
Coloured / Woodgrain Doors 7' - 14' Add £350

ROLLER / SIDE HUNG DOORS

White Provided as Standard
Coloured / Woodgrain Doors 7', 8' Add £215 (See Colours Below)
Coloured / Woodgrain Doors 9', 10', 12', 14' Add £325 (See Colours Below)

DOOR COLOURS AVAILABLE

Terra Brown, Steel Blue, Signal Blue, Moss Green, Ruby Red, Jet Black, Anthracite, Golden Oak, Rosewood

(Allow extended delivery time on coloured doors)

ROLLER / SECTIONAL DOORS

(1) Roller Doors - requires the eaves height of an Apex or Monarch garage to be increased by 13" (0.33m) to accommodate the door. Add 15% to the basic garage price plus the cost of the door. Does not apply to the Knight range

(2) Sectional Doors - Price includes a 10" (250mm) Build up to accommodate the Sectional Door for an Apex and 5" (125mm) for a Knight

Hanson Buildings Limited

Warren Road, Green Lane Industrial Park,
Featherstone, WF7 6EL

Tel: 01977 695111

Email: sales@hansonbuildings.co.uk

