

## Garage, Shed & Workshops Price List

All prices include VAT, Delivery, Installation and 10 Years Structural Guarantee



Garages & Sheds 2-11




Garden Rooms 16-17



Steel Buildings 18-24

### Why Choose a Hanson Building?

- ✓ We offer a free no obligation site survey
- ✓ Offer expert advice and guidance
- ✓ Unrivalled choice of building options
- ✓ Garage dismantle service available
- ✓ Can provide full concrete base works
- ✓ Market leading garage doors
- ✓ Quick installation
- ✓ Unique interlocking concrete panels
- ✓ Pressure treated timber
- ✓ 10 year Structural Guarantee
- ✓ All buildings fitted by Hanson installers
- ✓ UK leading supplier for over 40 years



### Interlocking Panels

All of our concrete panels feature an interlocking system with bolted joints along with an internal mastic seal which forms outstanding weather resistance and security.

Get A Quote Online



Scan QR Code

Download Our Brochure



Scan QR Code

**APEX ROYALE**

**OUR BEST SELLING GARAGE (APEX ROOF)**

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



**APEX ROYALE (Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	4475	4990	5250	5995	6985	7570	8420	9000	10120	10450	12495
	16'1" (4.90m)	4650	5220	5480	6215	7245	7825	8840	9345	10435	10855	12945
	18'1" (5.51m)	4885	5450	5765	6520	7475	8220	9165	9715	10825	11235	13375
	20'1" (6.12m)	5125	5690	5955	6730	7720	8475	9515	10030	11205	11550	13785
	22'1" (6.73m)	5385	5945	6215	6920	7990	8935	9900	10365	11570	11885	14215
	24'1" (7.34m)	5575	6145	6425	7160	8255	9345	10240	10690	11885	12245	14660
	26'1" (7.95m)	5815	6425	6750	7405	8505	9690	10690	11045	12265	12665	15090
	Additional 2'	235	255	280	300	315	375	385	395	405	445	480

**PENT ROYALE**

**OUR BEST SELLING GARAGE (PENT ROOF)**

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



**PENT ROYALE (Rearward Sloping Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4230	4870	5230	5765	6920	7065	7845	8545	n/a	n/a
	16'1" (4.90m)	4410	5040	5395	5975	7110	7120	8055	8780	n/a	n/a
	18'1" (5.51m)	4590	5240	5605	6145	7370	7540	8285	8965	n/a	n/a
	20'1" (6.12m)	4780	5440	5795	6340	7560	7740	8535	9200	n/a	n/a
	22'1" (6.73m)	4990	5630	5975	6540	7800	7940	8780	9430	n/a	n/a
	24'1" (7.34m)	5145	5815	6165	6710	8020	8180	8965	9670	n/a	n/a
	26'1" (7.95m)	5315	6015	6385	6950	8305	8505	9325	10050	n/a	n/a
	Additional 2'	200	225	235	245	290	325	340	370	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**DUCHESS/DUKE ROYALE**

**REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF**

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)\*
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



**DUCHESS ROYALE (For Duke just add 5%)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5280	5805	5945	6670	7330	8010	8180	8590	n/a	n/a
	16'1" (4.90m)	5440	6005	6165	6920	7635	8410	8620	9020	n/a	n/a
	18'1" (5.51m)	5605	6205	6375	7205	7930	8820	9040	9450	n/a	n/a
	20'1" (6.12m)	5745	6405	6585	7455	8220	9230	9480	9890	n/a	n/a
	22'1" (6.73m)	6015	6680	6910	7800	8590	9670	9965	10375	n/a	n/a
	24'1" (7.34m)	6270	6960	7235	8150	8965	10100	10425	10855	n/a	n/a
	26'1" (7.95m)	6540	7265	7540	8505	9335	10540	10910	11330	n/a	n/a
	Additional 2'	275	290	315	340	355	410	440	445	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**MONARCH ROYALE**

**HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS**

- Hormann White Georgian design Up and Over door with 4 point locking
- Other Door Styles available (See options)
- Interlocking Concrete Panels with multispar finish
- 'True' Brick Front Posts (Choice of 6 colours)
- White PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet




**MONARCH ROYALE (Higher Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)
Length ▶	14'1" (4.29m)	5745	6445	6760	7730	9030	9775	10900	11645	13115	13525
	16'1" (4.90m)	5995	6740	7065	8010	9355	10120	11445	12095	13515	14060
	18'1" (5.51m)	6290	7035	7435	8420	9670	10625	11875	12580	14040	14545
	20'1" (6.12m)	6595	7350	7675	8695	9975	10960	12325	12980	14510	14965
	22'1" (6.73m)	6940	7655	8010	8935	10310	11570	12830	13410	14995	15405
	24'1" (7.34m)	7195	7930	8305	9250	10670	12095	13250	13850	15405	15855
	26'1" (7.95m)	7510	8305	8715	9575	11005	12550	13840	14300	15885	16420
	Additional 2'	285	310	330	355	385	455	460	475	490	540

**SHEDS / WORKSHOPS ROYALE**

- White PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty White 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in White
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



**PENT ROYALE CONCRETE SHEDS & WORKSHOPS**      **APEX ROYALE CONCRETE SHEDS & WORKSHOPS**

Type ▶	PENT ROYALE CONCRETE SHEDS & WORKSHOPS							APEX ROYALE CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3205	3245	3285	3570	3740	4065	4790	3445	3505	3580	4010	4220	4590
	6'1" (1.85m)	3400	3445	3485	3685	3855	4200	4915	3530	3580	3705	4160	4360	4660
	8'1" (2.46m)	3505	3560	3590	3855	3980	4285	5040	3645	3705	3780	4360	4485	4820
	10'1" (3.07m)	3570	3610	3655	3980	4135	4475	5270	3770	3810	3875	4485	4660	5050
	12'1" (3.68m)	3655	3695	3730	4135	4380	4755	5595	3875	3925	3970	4660	4935	5315
	14'1" (4.29m)	3730	3770	3810	4430	4715	5155	6110	3970	4010	4055	4925	5165	5595
	16'1" (4.90m)	3905	3960	4000	4515	5105	5525	6615	4180	4220	4255	5125	5585	5955
	Additional 2'	165	175	185	195	205	245	285	175	185	195	235	255	275

PENT SHED

APEX SHED

**APEX GRAPHITE**

**ULTRA MODERN DESIGN OF GARAGE (APEX ROOF)**

- Hormann Black Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



\*\* Alternative Door Manufacturer used for Doors 9' and above

APEX GRAPHITE (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 10' (3.05m)		
Length ▶	14'1" (4.29m)	4895	5470	5755	6565	7665	8285	9240	9880	11110	11465	13715
	16'1" (4.90m)	5095	5725	5995	6795	7940	8590	9715	10260	11455	11920	14205
	18'1" (5.51m)	5345	5985	6310	7150	8210	9010	10060	10645	11885	12340	14680
	20'1" (6.12m)	5620	6235	6510	7380	8465	9295	10450	11005	12295	12675	15140
	22'1" (6.73m)	5890	6500	6795	7580	8745	9805	10870	11370	12705	13050	15615
	24'1" (7.34m)	6100	6730	7045	7845	9030	10260	11235	11740	13050	13430	16095
	26'1" (7.95m)	6365	7045	7405	8125	9335	10635	11720	12115	13460	13915	16570
	Additional 2'	235	255	280	300	315	375	385	395	405	445	480

**PENT GRAPHITE**

**ULTRA MODERN DESIGN OF GARAGE (PENT ROOF)**

- Hormann Black Vertical design Up and Over door with 4 point locking\*\*
- Interlocking concrete panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet



\*\* Alternative Door Manufacturer used for Doors 9' and above

PENT GRAPHITE (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	4630	5335	5710	6310	7590	7740	8590	9365	n/a	n/a	n/a
	16'1" (4.90m)	4820	5525	5900	6550	7780	7800	8820	9630	n/a	n/a	n/a
	18'1" (5.51m)	5030	5735	6130	6740	8085	8265	9085	9850	n/a	n/a	n/a
	20'1" (6.12m)	5230	5945	6340	6950	8295	8495	9355	10100	n/a	n/a	n/a
	22'1" (6.73m)	5450	6145	6550	7160	8560	8715	9630	10345	n/a	n/a	n/a
	24'1" (7.34m)	5630	6355	6750	7360	8800	8965	9850	10595	n/a	n/a	n/a
	26'1" (7.95m)	5815	6585	6995	7615	9115	9335	10225	11025	n/a	n/a	n/a
	Additional 2'	200	225	235	245	290	325	340	370	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**DUCHESS/DUKE GRAPHITE**

**REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF**

- Hormann Black Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)\*
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



\* Duke includes a Slate Effect Roof

\*\* Alternative Door Manufacturer used for Doors 9' and above

DUCHESS GRAPHITE (For Duke just add 5%)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	5795	6355	6510	7310	8045	8790	8965	9410	n/a	n/a	n/a
	16'1" (4.90m)	5945	6575	6740	7590	8370	9230	9450	9890	n/a	n/a	n/a
	18'1" (5.51m)	6130	6795	6985	7895	8695	9680	9925	10375	n/a	n/a	n/a
	20'1" (6.12m)	6300	7005	7225	8170	9020	10120	10395	10835	n/a	n/a	n/a
	22'1" (6.73m)	6585	7320	7560	8560	9430	10595	10940	11370	n/a	n/a	n/a
	24'1" (7.34m)	6880	7645	7915	8945	9840	11100	11455	11920	n/a	n/a	n/a
	26'1" (7.95m)	7170	7960	8265	9305	10250	11570	11980	12455	n/a	n/a	n/a
	Additional 2'	275	290	315	340	355	410	440	445	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**MONARCH GRAPHITE**

**HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS**

- Hormann Black Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Graphite Rustic 'True' Brick Front Posts (Other colours available)
- Anthracite PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with felt underlay (Choice of Colours)
- Heavy Duty Black 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Black PVCu guttering
- Foam Filler to eaves
- Internal Cement Fillet



\*\* Alternative Door Manufacturer used for Doors 9' and above

MONARCH GRAPHITE (Higher Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 10' (3.05m)		
Length ▶	14'1" (4.29m)	6300	7045	7425	8475	9900	10730	11960	12790	14385	14860	17800
	16'1" (4.90m)	6550	7370	7740	8790	10260	11110	12560	13270	14825	15435	18430
	18'1" (5.51m)	6900	7720	8140	9240	10595	11655	13030	13810	15405	15970	19045
	20'1" (6.12m)	7235	8055	8410	9535	10950	12025	13525	14250	15930	16435	19645
	22'1" (6.73m)	7600	8390	8790	9805	11320	12705	14080	14730	16465	16915	20255
	24'1" (7.34m)	7885	8695	9105	10145	11695	13270	14555	15205	16915	17410	20875
	26'1" (7.95m)	8220	9105	9565	10500	12085	13765	15195	15700	17440	18040	21505
	Additional 2'	285	310	330	355	385	455	460	475	490	540	585

**SHEDS / WORKSHOPS GRAPHITE**

- Interlocking Concrete Panels with multispar finish
- Anthracite PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Black Heavy Duty 3' (915mm) wide Multi Point Locking Steel Personnel Door
- Black PVCu guttering
- 4' (1.22m) wide PVCu Double Glazed Window in Anthracite
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT GRAPHITE CONCRETE SHEDS & WORKSHOPS						APEX GRAPHITE CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	3505	3540	3590	3895	4085	4450	3760	3820	3915	4380	4525	4925	5535
	6'1" (1.85m)	3715	3770	3810	4020	4210	4580	3855	3915	4045	4465	4660	5020	5630
	8'1" (2.46m)	3820	3885	3905	4210	4345	4695	3980	4045	4135	4660	4830	5175	5805
	10'1" (3.07m)	3895	3940	4000	4345	4535	4820	4105	4160	4230	4830	5010	5410	5995
	12'1" (3.68m)	4000	4045	4085	4535	4705	5125	4240	4285	4335	5010	5315	5620	6290
	14'1" (4.29m)	4065	4125	4170	4755	5070	5555	4360	4390	4430	5305	5470	5910	6750
	16'1" (4.90m)	4265	4315	4370	4860	5480	5840	4475	4525	4570	5525	5900	6290	7205
	Additional 2'	165	175	185	195	205	245	175	185	195	235	255	275	330

**APEX EARL**

**OUR LATEST LUXURY GARAGE (APEX ROOF)**

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



**APEX EARL (Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	5145	5745	6040	6890	8045	8705	9700	10375	11665	12035	14405
	16'1" (4.90m)	5355	6005	6290	7140	8335	9020	10195	10775	12025	12505	14920
	18'1" (5.51m)	5605	6280	6625	7510	8620	9460	10555	11185	12475	12945	15415
	20'1" (6.12m)	5890	6550	6835	7750	8895	9755	10975	11550	12905	13305	15895
	22'1" (6.73m)	6185	6825	7140	7960	9190	10300	11415	11940	13335	13705	16400
	24'1" (7.34m)	6405	7065	7390	8230	9480	10775	11790	12325	13705	14100	16895
	26'1" (7.95m)	6680	7390	7770	8535	9795	11170	12305	12725	14135	14605	17400
	Additional 2'	245	270	290	315	330	390	400	410	425	470	500

**PENT EARL**

**OUR LATEST LUXURY GARAGE (PENT ROOF)**

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Galvanised 'C' Section steel trusses (up to 18' wide)
- Internal Cement Fillet



**PENT EARL (Rearward Sloping Roof)**


Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	4860	5605	5995	6625	7970	8125	9020	9840	n/a	n/a	n/a
	16'1" (4.90m)	5060	5795	6205	6880	8180	8190	9260	10100	n/a	n/a	n/a
	18'1" (5.51m)	5280	6025	6435	7075	8485	8685	9545	10345	n/a	n/a	n/a
	20'1" (6.12m)	5490	6250	6655	7300	8705	8915	9820	10605	n/a	n/a	n/a
	22'1" (6.73m)	5725	6460	6880	7520	8990	9155	10100	10855	n/a	n/a	n/a
	24'1" (7.34m)	5900	6680	7090	7730	9240	9420	10345	11130	n/a	n/a	n/a
	26'1" (7.95m)	6110	6910	7340	8000	9565	9805	10740	11570	n/a	n/a	n/a
	Additional 2'	210	235	245	260	300	340	355	385	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**DUCHESS/DUKE EARL**

**REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF**

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)\*
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



**DUCHESS EARL (For Duke just add 5%)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	6080	6680	6835	7665	8440	9230	9420	9880	n/a	n/a	n/a
	16'1" (4.90m)	6250	6900	7075	7970	8780	9690	9925	10385	n/a	n/a	n/a
	18'1" (5.51m)	6435	7140	7330	8295	9125	10165	10415	10890	n/a	n/a	n/a
	20'1" (6.12m)	6615	7360	7580	8580	9470	10625	10920	11380	n/a	n/a	n/a
	22'1" (6.73m)	6910	7685	7940	8990	9890	11130	11485	11950	n/a	n/a	n/a
	24'1" (7.34m)	7225	8020	8305	9400	10330	11645	12035	12505	n/a	n/a	n/a
	26'1" (7.95m)	7540	8350	8685	9765	10750	12150	12580	13075	n/a	n/a	n/a
	Additional 2'	285	300	330	355	375	430	460	470	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**MONARCH EARL**

**HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS**

- Agate Grey Vertical design Up and Over door with 4 point locking
- Interlocking Concrete Panels with multispar finish
- True Brick Front Posts in Stone Grey (Other colours available)
- Agate Grey PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile Effect, Plastisol Coated Roof Sheets with Felt Underlay (Choice of Colours)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



**MONARCH EARL (Higher Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	6615	7405	7790	8905	10405	11265	12560	13430	15110	15595	18680
	16'1" (4.90m)	6880	7740	8125	9230	10775	11665	13190	13935	15570	16200	19350
	18'1" (5.51m)	7235	8095	8545	9700	11130	12245	13680	14500	16170	16770	20005
	20'1" (6.12m)	7590	8455	8830	10015	11500	12630	14195	14965	16725	17260	20635
	22'1" (6.73m)	7980	8810	9230	10300	11885	13335	14785	15465	17285	17765	21265
	24'1" (7.34m)	8275	9125	9555	10660	12285	13935	15290	15970	17765	18280	21925
	26'1" (7.95m)	8630	9555	10050	11025	12685	14460	15950	16485	18310	18930	22575
	Additional 2'	295	325	345	375	400	480	485	495	510	565	610

**SHEDS / WORKSHOPS EARL**

- Agate Grey PVCu Fascias
- Interlocking Concrete Panels with multispar finish
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Heavy Duty Agate Grey 3' (915mm) wide Multi Point Locking Steel Personnel Door
- 4' (1.22m) wide PVCu double glazed Window in Agate Grey
- PVCu Guttering (Choice of 3 colours)
- Foam Filler to eaves
- Internal Cement Fillet



Type ▶	PENT EARL CONCRETE SHEDS & WORKSHOPS							APEX EARL CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	
Length ▶	4'1" (1.24m)	3675	3715	3770	4095	4285	4675	5395	3940	4010	4115	4600	4755	5165	5805
	6'1" (1.85m)	3895	3960	4000	4230	4420	4810	5545	4045	4115	4240	4685	4895	5270	5910
	8'1" (2.46m)	4020	4075	4105	4420	4570	4925	5690	4180	4240	4345	4895	5070	5440	6090
	10'1" (3.07m)	4095	4135	4200	4570	4755	5060	5945	4315	4370	4440	5070	5250	5680	6290
	12'1" (3.68m)	4200	4240	4285	4755	4935	5385	6205	4450	4505	4555	5250	5585	5890	6605
	14'1" (4.29m)	4275	4325	4380	5000	5325	5830	6795	4570	4610	4650	5565	5745	6205	7090
	16'1" (4.90m)	4485	4535	4580	5105	5755	6120	7330	4695	4755	4800	5795	6195	6605	7560
	Additional 2'	165	175	185	195	205	245	285	175	185	195	235	255	275	330

PENT SHED

APEX SHED

**APEX WOODTHORPE**

**STYLISH GREAT LOOKING GARAGE (APEX ROOF)**

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile
- Secure PVCu 3' (915mm) wide Multi Point Locking Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Rosewood

\*\* Woodgrain Up and Over doors only available up to 8' (2.44m) wide

\*\*Brick Fronts will be Cladded for this size Building


**PENT WOODTHORPE**

**STYLISH GREAT LOOKING GARAGE (PENT ROOF)**

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Secure PVCu 3' (915mm) wide Multi Point Locking Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam filler to eaves
- Galvanised 'C' section steel trusses (upto 18' wide)
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Golden Oak

\*\* Alternative Door Manufacturer used for Doors 9' and above

**DUCHESS/DUKE WOODTHORPE**

**REARWARD SLOPING GARAGE WITH TILE EFFECT ROOF**

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Forward sloping Metrotile Roof and Rearward sloping Box Profile Steel Roof with felt underlay (full length roof sheet up to 20' long)\*
- Secure PVCu 3' (915mm) wide Multi Point Locking Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

\* Duke includes a Slate Effect Roof

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Golden Oak

DUKE

\*\* Woodgrain Up and Over doors only available up to 8' (2.44m) wide

**MONARCH WOODTHORPE**

**HIGHER PITCHED ROOF WITH TILE EFFECT ROOF SHEETS**

- Hormann Woodgrain Vertical design Up and Over door with 4 point locking\*\*
- Interlocking Concrete Panels with multispar finish
- Rustic Brown 'True' Brick Front Posts (Other colours available)
- Woodgrain PVCu Fascias
- Higher 17.5° Roof Pitch on single garages, 15° Roof Pitch on doubles
- Tile effect, plastisol coated roof sheets with felt underlay (Choice of Colours)
- Secure PVCu 3' (915mm) wide Multi Point Locking Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



Pictured in Rosewood

\*\* Woodgrain Up and Over doors only available up to 8' (2.44m) wide

**SHEDS / WORKSHOPS WOODTHORPE**

- Interlocking Concrete Panels with multispar finish
- Woodgrain PVCu Fascias
- Coloured Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Pent)
- Secure PVCu 3' (915mm) wide Multi Point Locking Personnel Door
- 4' (1.22m) wide PVCu Double Glazed Window in Woodgrain
- Brown PVCu Guttering
- Foam Filler to eaves
- Internal Cement Fillet

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



PENT SHED



APEX SHED

**APEX WOODTHORPE (Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	4895	5470	5755	6565	7665	8285	9240	9880	11110	11465	13715
Length ▶	16'1" (4.90m)	5095	5725	5995	6795	7940	8590	9715	10260	11455	11920	14205
Length ▶	18'1" (5.51m)	5345	5985	6310	7150	8210	9010	10060	10645	11885	12340	14680
Length ▶	20'1" (6.12m)	5620	6235	6510	7380	8465	9295	10450	11005	12295	12675	15140
Length ▶	22'1" (6.73m)	5890	6500	6795	7580	8745	9805	10870	11370	12705	13050	15615
Length ▶	24'1" (7.34m)	6100	6730	7045	7845	9030	10260	11235	11740	13050	13430	16095
Length ▶	26'1" (7.95m)	6365	7045	7405	8125	9335	10635	11720	12115	13460	13915	16570
Length ▶	Additional 2'	235	255	280	300	315	375	385	395	405	445	480

**PENT WOODTHORPE (Rearward Sloping Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	4630	5335	5710	6310	7590	7740	8590	9365	n/a	n/a	n/a
Length ▶	16'1" (4.90m)	4820	5525	5900	6550	7780	7800	8820	9630	n/a	n/a	n/a
Length ▶	18'1" (5.51m)	5030	5735	6130	6740	8085	8265	9085	9850	n/a	n/a	n/a
Length ▶	20'1" (6.12m)	5230	5945	6340	6950	8295	8495	9355	10100	n/a	n/a	n/a
Length ▶	22'1" (6.73m)	5450	6145	6550	7160	8560	8715	9630	10345	n/a	n/a	n/a
Length ▶	24'1" (7.34m)	5630	6355	6750	7360	8800	8965	9850	10595	n/a	n/a	n/a
Length ▶	26'1" (7.95m)	5815	6585	6995	7615	9115	9335	10225	11025	n/a	n/a	n/a
Length ▶	Additional 2'*	200	225	235	245	290	325	340	370	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**DUCHESS WOODTHORPE (For Duke just add 5%)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	5795	6355	6510	7310	8045	8790	8965	9410	n/a	n/a	n/a
Length ▶	16'1" (4.90m)	5945	6575	6740	7590	8370	9230	9450	9890	n/a	n/a	n/a
Length ▶	18'1" (5.51m)	6130	6795	6985	7895	8695	9680	9925	10375	n/a	n/a	n/a
Length ▶	20'1" (6.12m)	6300	7005	7225	8170	9020	10120	10395	10835	n/a	n/a	n/a
Length ▶	22'1" (6.73m)	6585	7320	7560	8560	9430	10595	10940	11370	n/a	n/a	n/a
Length ▶	24'1" (7.34m)	6880	7645	7915	8945	9840	11100	11455	11920	n/a	n/a	n/a
Length ▶	26'1" (7.95m)	7170	7960	8265	9305	10250	11570	11980	12455	n/a	n/a	n/a
Length ▶	Additional 2'*	275	290	315	340	355	410	440	445	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**MONARCH WOODTHORPE (Higher Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3"*** (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3"*** (7.39m)	26'3"*** (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)				2 x 7' (2.13m)	2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	6300	7045	7425	8475	9900	10730	11960	12790	14385	14860	17800
Length ▶	16'1" (4.90m)	6550	7370	7740	8790	10260	11110	12560	13270	14825	15435	18430
Length ▶	18'1" (5.51m)	6900	7720	8140	9240	10595	11655	13030	13810	15405	15970	19045
Length ▶	20'1" (6.12m)	7235	8055	8410	9535	10950	12025	13525	14250	15930	16435	19645
Length ▶	22'1" (6.73m)	7600	8390	8790	9805	11320	12705	14080	14730	16465	16915	20255
Length ▶	24'1" (7.34m)	7885	8695	9105	10145	11695	13270	14555	15205	16915	17410	20875
Length ▶	26'1" (7.95m)	8220	9105	9565	10500	12085	13765	15195	15700	17440	18040	21505
Length ▶	Additional 2'	285	310	330	355	385	455	460	475	490	540	585

\*\*Brick Fronts will be Cladded for this size Building

**PENT WOODTHORPE CONCRETE SHEDS & WORKSHOPS**

Type ▶	PENT WOODTHORPE CONCRETE SHEDS & WORKSHOPS							APEX WOODTHORPE CONCRETE SHEDS & WORKSHOPS							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	
Length ▶	4'1" (1.24m)	3505	3540	3590	3895	4085	4450	5145	3760	3820	3915	4380	4525	4925	5535
Length ▶	6'1" (1.85m)	3715	3770	3810	4020	4210	4580	5280	3855	3915	4045	4465	4660	5020	5630
Length ▶	8'1" (2.46m)	3820	3885	3905	4210	4345	4695	5430	3980	4045	4135	4660	4830	5175	5805
Length ▶	10'1" (3.07m)	3895	3940	4000	4345	4535	4820	5660	4105	4160	4230	4830	5010	5410	5995
Length ▶	12'1" (3.68m)	4000	4045	4085	4535	4705	5125	5900	4240	4285	4335	5010	5315	5620	6290
Length ▶	14'1" (4.29m)	4065	4125	4170	4755	5070	5555	6470	4360	4390	4430	5305	5470	5910	6750
Length ▶	16'1" (4.90m)	4265	4315	4370	4860	5480	5840	6985	4475	4525	4570	5525	5900	6290	7205
Length ▶	Additional 2'	165	175	185	195	205	245	285	175	185	195	235	255	275	330

**APEX** **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Unlimited Length
- Wide Range of Optional Extras (See Page 14-15) and Special Offer Packages below



TIMBER APEX (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)	2 x 10' (3.05m)
14'1" (4.29m)	3120	3645	3800	4390	4570	5755	6250	6750	7560	7855	9820	
16'1" (4.90m)	3320	3820	4000	4590	4820	6090	6615	7100	7905	8255	10215	
18'1" (5.51m)	3495	4000	4190	4755	5060	6405	6985	7445	8265	8630	10625	
20'1" (6.12m)	3685	4180	4390	4945	5305	6730	7350	7800	8610	9000	11045	
22'1" (6.73m)	3865	4360	4600	5145	5535	7045	7720	8150	8965	9385	11435	
24'1" (7.34m)	4055	4515	4790	5335	5775	7370	8075	8505	9325	9755	11845	
26'1" (7.95m)	4255	4705	4990	5500	6025	7695	8455	8840	9660	10135	12255	
Additional 2'	210	235	240	280	300	325	345	385	390	395	405	

**PENT** **PRESSURE TREATED TIMBER**

- Hormann framed fully retractable Vertical design Up and Over door in White
- Interlocking Concrete Panels with multispar finish
- 'Pressure Treated' timber fascias
- Box Profile Steel Roof Sheets with felt underlay (full length up to 20' long)
- Galvanised 'C' Section steel trusses (up to 18' wide)
- 4' (1.22m) wide timber Window (Optional 1 on a single, 2 on a double)
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Wide Range of Optional Extras (See Page 14-15) and Special Offer Packages below




TIMBER PENT(Rearward Sloping Roof)											
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		
14'1" (4.29m)	3100	3600	3780	4240	4450	5735	6300	6775	n/a	n/a	n/a
16'1" (4.90m)	3285	3780	3960	4420	4695	6005	6595	7065	n/a	n/a	n/a
18'1" (5.51m)	3465	3960	4135	4600	4935	6270	6910	7340	n/a	n/a	n/a
20'1" (6.12m)	3645	4135	4325	4755	5185	6540	7235	7625	n/a	n/a	n/a
22'1" (6.73m)	3810	4295	4505	4945	5420	6805	7520	7905	n/a	n/a	n/a
24'1" (7.34m)	3990	4475	4685	5115	5660	7065	7845	8170	n/a	n/a	n/a
26'1" (7.95m)	4150	4675	4895	5335	5900	7405	8180	8525	n/a	n/a	n/a
Additional 2'*	185	205	210	220	270	300	315	315	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**SHEDS / WORKSHOPS**

- 'Pressure Treated' timber fascias
- Interlocking Concrete Panels with multispar finish
- Robust Grey Cement Fibre Roof Sheets with close fitting ridge tile (Apex)
- Box Profile Steel Roof Sheets with felt underlay (Knight)
- Heavy Duty White 3' (915mm) wide 3 Point Locking Steel Personnel Door
- 4' (1.22m) wide timber Window (Optional)
- Foam Filler to eaves
- Wide Range of Optional Extras (See Page 14-15)



Type ▶	PENT CONCRETE SHEDS & WORKSHOPS							APEX CONCRETE SHEDS & WORKSHOPS						
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
4'1" (1.24m)	2470	2520	2550	2730	2920	3255	3685	2550	2615	2690	2920	3130	3495	3875
6'1" (1.85m)	2680	2730	2750	2855	3025	3380	3845	2625	2690	2795	3075	3265	3600	4065
8'1" (2.46m)	2785	2825	2855	3025	3170	3485	3970	2750	2795	2890	3265	3400	3750	4210
10'1" (3.07m)	2845	2910	2950	3170	3330	3675	4210	2875	2920	2995	3400	3580	3970	4410
12'1" (3.68m)	2930	2980	3025	3330	3590	3990	4545	2995	3035	3085	3580	3875	4265	4705
14'1" (4.29m)	3005	3055	3100	3635	3940	4400	5095	3085	3130	3170	3865	4105	4535	5145
16'1" (4.90m)	3205	3245	3285	3740	4325	4780	5605	3285	3330	3370	4065	4525	4905	5565
Additional 2'	120	130	140	170	180	225	255	145	160	170	200	235	255	285

**THE FORTRESS** **HIGH SECURITY GARAGE**

- Highly secure manual single skin roller shutter door in White
- Interlocking Concrete Panels with multispar finish
- Maintenance Free white UPVC Fascias
- Box Profile Steel Roof Sheets with felt underlay
- Foam Filler to eaves
- Maximum Length of 30' (9.15m)
- Internal Cement Fillet
- Guttering and downpipes
- Wide Range of Optional Extras (See Page 14-15)



THE FORTRESS (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)					8' Door (2.44m)		2 x 7' (2.13m)	2 x 8' Doors (2.44m)		2 x 9' (2.74m)	2 x 10' (3.05m)
14'1" (4.29m)	3575	4095	4280	4755	4970	6565	7150	7640	n/a	n/a	n/a	
16'1" (4.90m)	3765	4280	4465	4940	5225	6845	7455	7945	n/a	n/a	n/a	
18'1" (5.51m)	3955	4465	4645	5125	5470	7115	7780	8220	n/a	n/a	n/a	
20'1" (6.12m)	4135	4645	4845	5285	5735	7395	8115	8515	n/a	n/a	n/a	
22'1" (6.73m)	4315	4810	5030	5480	5975	7670	8410	8810	n/a	n/a	n/a	
24'1" (7.34m)	4500	4995	5215	5660	6220	7945	8745	9085	n/a	n/a	n/a	
26'1" (7.95m)	4650	5205	5430	5885	6475	8290	9095	9450	n/a	n/a	n/a	
Additional 2'	195	215	220	230	280	310	325	325	n/a	n/a	n/a	

BRICK CLADDING (£80 PER FOOT)



Rustic Red



Sand



RUSTIC RED BRICK CLADDING



SAND BRICK CLADDING

STONE CLADDING (£80 PER FOOT)



Country Beige



Slate Grey



Light Grey Sandstone



Cream Sandstone



SLATE GREY STONE CLADDING



COUNTRY BEIGE STONE CLADDING


HOW TO PRICE THE BUILDING

- Step 1 - Decide which sides are to be cladded
- Step 2 - Use Guide below to calculate the cost

How to Calculate the Cost of the Cladding of your buildings

Example (4 sided Garage Cladding): Length1 + Length2 + Width1 + F1 (Front - use 1') x £80  
 For a 16'1" long x 8'3" wide garage with a 7' up & over door (round to the nearest ft)  
 = 16 + 16 + 8 + 1 = 41 x £80 = £3,280

\* Please note: Hanson's require a 1m area to work around the building in order to clad



STANDARD PLANK CLADDING (£80 PER FOOT)



White



Cream



Sand



Light Grey



Camel



Anthracite



Quartz Grey



Blue Grey



ANTHRACITE PLANK CLADDING




WHITE PLANK CLADDING

QUATTRO PLANK CLADDING (£80 PER FOOT)



Turner Oak Malt



Artisan Oak




Sheffield Oak Alpine




Kitami Oak


SHADOW PLANK CLADDING (£80 PER FOOT)




Sheffield Oak Alpine



Turner Oak Malt



Sheffield Oak Concrete




Kitami Oak


PREMIUM TIMBER CLADDING (£90 PER FOOT)



Woodland Oak



Sheffield Oak



African Paduak



Grey Cedar



SHEFFIELD OAK PREMIUM TIMBER CLADDING

Latest Offers

Visit our Hanson Garages website to see our latest offers on our range of garages, sheds, workshops and garden rooms.



Scan QR Code



## ROOF UPGRADE OPTIONS



**£1.99 per square ft.**  
Apex Only  
**Cement Fibre Roof Sheets**  
in Spanish Red, Mocca Brown, Green or Blue/Black



**£1.99 per square ft.**  
Apex Only  
**Coloured Box Profile Upgrade**  
Plastisol Coated with Felt Underlay



**£8.00 per square ft.**  
Apex Only  
**Insulated Box Steel Roof Sheets**  
Box Profile, 40mm Thick Composite Sheets



**£92 Each**  
Apex Only  
**Translucent Roof Sheets**  
Only available on Cement Fibre Roofs



**£7.45 per square ft.**  
Apex Only  
**Tile Effect Steel Roof Sheets**  
Plastisol Coated with anti-condensation Felt Underlay in Anthracite, Terracotta, Black, Van Dyke Brown



**£10.35 per square ft.**  
Apex Only  
**Insulated Tile Steel Roof Sheets**  
Plastisol Coated Steel Sheets with Felt Underlay and 25mm Insulation Board in Anthracite, Terracotta, Black, Van Dyke Brown



**£11.90 per square ft.**  
Apex Only  
**Metro Tile Roof**  
in Titanium, Bramble, Rustic Brown, Terracotta, Tartan Green



**£15.60 per square ft.**  
Apex Only  
**Tapco Slate Roof**  
in Pewter Grey, Chesnut Brown, Moss Green, Stone Black, Brick Red, Wheat, Sand, Plum

## BRICK FRONTS



**Red Wirecut**



**Golden Russett**



**Rustic Brown**



**Cedar Buff**



**Graphite Rustic**



**Stone Grey**

### REAL BRICK FRONT POSTS - Your choice of 6 different bricks

7' Door (2.13m)		8' Door (2.44m)		10' (3.05m)	2 x 7' Doors (2.13m)		2 x 8' Doors (2.44m)		2x9' (2.74m)		
8'3" (2.51m)	9'3" (2.83m)	9'3" (2.83m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)
275	330	275	330	490	490	430	660	440	660	755	755


## WINDOWS

Timber	Fixed	Opening
EXTRA 4' (1.22m) TIMBER WINDOW	100	N/A
PVCu	White	Coloured
2' (610mm) FIXED	185	255
2' (610mm) OPENING	235	315
4' (1.22m) FIXED	225	305
4' (1.22m) OPENING	290	370
2' (610mm) FULL HEIGHT	280	305
2' (610mm) FULL HEIGHT OPENING	310	350


£40 extra for frosted glass




**4'0" Timber Window**  
(Fixed)



**2'0" PVCu Window**  
(Fixed or Opening)



**4'0" PVCu Window**  
(Fixed or Opening)



**2'0" PVCu Full Height Window**  
(Fixed)

## UP AND OVER DOOR EXTRAS



**£760**  
**Electric Operator & Delatching Kit with 2 Remotes**  
(Customer must provide electric)



**£115**  
**Manual Release**  
(For electronic main doors where building has no other access)



**£545**  
**Throughway Garage**




**£105**  
**4 Point Locking (9' Wide Max)**

**Hanson Garage Spares**  
Visit our Hanson Garages spares website for other building options available online




Scan QR Code

## EXTRAS / NON STANDARD CHARGES



**£9 ft. run**  
**Guttering**  
in White, Black and Brown



**£120 Single / £155 Double**  
**Cement Fillet**



**£35 ft. run**  
**Dividing Walls**



**2ft / 4ft / 6ft £115 / £132 / £154**  
**Shelving Stacks**




**£24 for 12**  
**Lining Clips**  
(Supply Only)



**Garage Price + 15%**  
**Lean-To / Tapered**



**£192**  
**Non Standard Delivery Charge\***  
(\*Subject to Survey)



**£150**  
**Non Standard Building Size Charge**

## EXTRA HEIGHT

EXTRA HEIGHT	
7' (2.13m) TO EAVES (7' HIGH DOOR)	15% of Garage Price
7'6" (2.28m) TO EAVES (7'6" HIGH DOOR)	25% of Garage Price
8' (2.44m) TO EAVES (7' HIGH DOOR)	30% of Garage Price
8' (2.44m) TO EAVES (7'6" HIGH DOOR)*	35% of Garage Price
9' (2.74m) TO EAVES AND OVER	POA

\*8' To Eaves Door Maximum Door Height is 7'6"



## FASCIAS

### PVCu FASCIAS & VERGEBOARDS

Available as an upgrade to Pent and Apex Garages, Sheds and Workshops

Size	White	Coloured*
FASCIAS 8'-9' (2.43m-2.74m) WIDE	435	580
FASCIAS 10'-14' (3.00m-4.27m) WIDE	505	680
FASCIAS 16'-24' (4.88m-7.31m) WIDE	695	845


\*Anthracite, Agate Grey, Golden Oak, Rosewood



**White (Apex)**



**White (Knight)**



**Anthracite (Apex or Pent)**



**Agate Grey (Apex or Pent)**



**Golden Oak (Apex or Pent)**



**Rosewood (Apex or Pent)**

## PERSONNEL DOOR

### PERSONNEL DOOR

STEEL / PVCu DOORS (4pt LOCKING AS STANDARD ON STEEL DOORS)	White	Black	Anthracite/Woodgrain	Coloured*
3' (915mm) STEEL DOOR	495	595	-	595
4' (1.22m) STEEL DOOR	780	880	-	880
3' (915mm) HALF/FULL GLAZED PVCu	850	-	1020	-
4' (1.22m) PVCu FRENCH DOORS	1275	-	1510	-

\*Anthracite, Goosewing Grey, Olive Green, Juniper Green



**Vertical Steel**



**Verical Steel (Black / Coloured)**



**Half / Full Glazed PVCu**



**French Doors PVCu**

## MAIN DOOR OPTIONS



### MAIN DOOR OPTIONS

Door Size ▶	Vertical (Up and Over)	Horizontal (Up and Over)	Georgian (Up and Over)	Elegance (Up and Over)	Finesse (Up and Over)	Steel Side Hung	Roller <sup>(1)</sup> (Single Skin)	Roller <sup>(1)</sup> (Insulated Electric Operated with Box)	Sectional <sup>(2)</sup> (Insulated 40mm Non Electric)
6' (1.83m) x 6'6" (1.98m)	605	N/A	N/A	255	255	1140	315	1300	N/A
7' (2.13m) x 6'6" (1.98m)	As standard	75	255	395	395	1195	355	1395	1235
8' (2.44m) x 6'6" (1.98m)	As standard	125	395	N/A	N/A	1255	455	1460	1305
9' (2.74m) x 6'6" (1.98m)	195	275	425	N/A	N/A	N/A	550	1530	1390
10' (3.05m) x 6'6" (1.98m)	1005	N/A	1285	N/A	N/A	N/A	720	1830	1535
12' (3.65m) x 6'6" (1.98m)	1520	N/A	1680	N/A	N/A	N/A	900	2050	1820
14' (4.26m) x 6'6" (1.98m)	1660	1380	2330	N/A	N/A	N/A	1000	2090	2000

\*Electric Operator is an additional £550

### UPGRADE:

VERTICAL / HORIZONTAL / SECTIONAL / GEORGIAN / ILKLEY

White Provided as Standard  
Coloured / Woodgrain Doors 7' - 14' Add £350

ROLLER / SIDE HUNG DOORS

White Provided as Standard  
Coloured / Woodgrain Doors 7', 8' Add £215 (See Colours Below)  
Coloured / Woodgrain Doors 9', 10', 12', 14' Add £325 (See Colours Below)

### DOOR COLOURS AVAILABLE


Terra Brown, Steel Blue, Signal Blue, Moss Green, Ruby Red, Jet Black, Anthracite, Golden Oak, Rosewood

(Allow extended delivery time on coloured doors)

### ROLLER / SECTIONAL DOORS

(1) Roller Doors - requires the eaves height of an Apex or Monarch garage to be increased by 13" (0.33m) for insulated, 17" (0.43m) for single skin to accommodate the door. Add 15% to the basic garage price plus the cost of the door. Does not apply to the Pent range.

(2) Sectional Doors - Price includes a 10" (250mm) Build up to accommodate the Sectional Door for an Apex and 5" (125mm) for a Pent.

PENT	APEX
<ul style="list-style-type: none"> <li>• Interlocking Concrete Panels with multispar finish</li> <li>• Maintenance Free PVCu Fascias*</li> <li>• Box Profile Steel Roof Sheets with felt underlay</li> <li>• 4' (1.22m) wide PVCu fully glazed French doors*</li> <li>• 2'0" (0.61m) wide Full height PVC windows x 2*</li> <li>• PVCu Guttering</li> <li>• Foam Filler to eaves</li> <li>• Internal Cement Fillet</li> <li>• Wide range of Cladding Options (See Page 14-15)</li> <li>• Wide range of Optional Extras (See Page 14-15)</li> <li>• Can be customised to individual requirements</li> </ul> <p><small>*See colour options below</small></p>	<ul style="list-style-type: none"> <li>• Interlocking Concrete Panels with multispar finish</li> <li>• Maintenance Free PVCu Fascias*</li> <li>• Coloured Cement Fibre Roof Sheets with close fitting ridge tile</li> <li>• 4' (1.22m) wide PVCu fully glazed French doors*</li> <li>• 2'0" (0.61m) wide Full height PVC windows x 2*</li> <li>• PVCu Guttering</li> <li>• Foam Filler to eaves</li> <li>• Internal Cement Fillet</li> <li>• Wide range of Cladding Options (See Page 14-15)</li> <li>• Wide range of Optional Extras (See Page 14-15)</li> <li>• Can be customised to individual requirements</li> </ul> <p><small>*See colour options below</small></p>
	
<p><b>Colour Options</b> Fascias, French Doors, and Windows</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; width: 30px; height: 30px; background-color: white; margin: 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; background-color: black; margin: 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; background-color: #A0C0C0; margin: 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; background-color: #D2B48C; margin: 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; background-color: #8B4513; margin: 5px;"></div> </div> <p style="text-align: center; font-size: small;">White    Anthracite    Agate Grey    Golden Oak    Rosewood</p>	

Type ▶	PENT CONCRETE GARDEN ROOM							APEX CONCRETE GARDEN ROOM							
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	4355	4395	4435	4720	4890	5215	5940	4595	4655	4730	5160	5370	5740	6070
	6'1" (1.85m)	4550	4595	4635	4835	5005	5350	6065	4680	4730	4855	5310	5510	5810	6260
	8'1" (2.46m)	4655	4710	4740	5005	5130	5435	6190	4795	4855	4930	5510	5635	5970	6415
	10'1" (3.07m)	4720	4760	4805	5130	5285	5625	6420	4920	4960	5025	5635	5810	6200	6595
	12'1" (3.68m)	4805	4845	4880	5285	5530	5905	6745	5025	5075	5120	5810	6085	6465	6880
	14'1" (4.29m)	4880	4920	4960	5580	5865	6305	7260	5120	5160	5205	6075	6315	6745	7330
	16'1" (4.90m)	5055	5110	5150	5665	6255	6675	7765	5330	5370	5405	6275	6735	7105	7730
Additional 2'	165	175	185	195	205	245	285	175	185	195	235	255	275	330	

THE NEWBURY	
<ul style="list-style-type: none"> <li>• 355mm roof canopy</li> <li>• Extra Height 2.13m eaves (stays under 2.5m Height)</li> <li>• 40mm composite panel insulation in the roof</li> <li>• Timber plank cladding to the front elevation (side elevations can be clad at extra cost)</li> <li>• Anthracite fascias, doors and windows</li> <li>• Anthracite French doors and 2 full height windows as standard</li> <li>• Internal Cement Fillet</li> <li>• Lining clips to aid internal fitting out</li> <li>• Guttering to the rear</li> </ul>	

Type ▶	THE NEWBURY				
	Width ▶	12'7" (3.83m)	14'7" (4.44m)	16'7" (5.05m)	18'7" (5.66m)
Length ▶	5'11" (1.81m)	7060	7665	8560	8950
	7'11" (2.41m)	7160	7860	8665	9135
	9'11" (3.02m)	7350	7980	8875	9265
	11'11" (3.63m)	7510	8110	9005	9390
	13'11" (4.24m)	7720	8340	9230	9625
	15'11" (4.85m)	7860	8465	9345	9745
Additional 2'	250	250	250	250	




**Find the Perfect Pent or Apex Garden Room for me; 5 easy steps:**

1. Select the roof required, Pent or Apex
2. Measure up and agree size- Length (depth) and Width (frontage)
3. Choose your Door and Window options
4. Decide on the colours of Doors, Windows and Fascias
5. Confirm wall finish. Spa chippings as standard but you can upgrade to Brick, Plank or Stone effect cladding on one or more elevations

**Cladding Options**

**Brick Cladding (£80 per foot)**




**Stone Cladding (£80 per foot)**



**Plank Cladding (£80 per foot)**




**Quattro Cladding (£80 per foot)**



**Shadow Cladding (£80 per foot)**



**Premium Timber Cladding (£90 per foot)**



**Inspiration for your Garden Room**



**APEX STEEL GARAGE**

**NEW TO THE MARKET**

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)			
Length ▶	14'1" (4.29m)	7610	8485	8925	10190	11875	12870	14315	15300	17205	17765	21240
	16'1" (4.90m)	7905	8875	9315	10565	12315	13305	15030	15885	17740	18455	22005
	18'1" (5.51m)	8305	9265	9800	11085	12710	13975	15580	16515	18405	19100	22740
	20'1" (6.12m)	8715	9675	10125	11440	13125	14410	16175	17050	19050	19635	23435
	22'1" (6.73m)	9155	10105	10565	11765	13585	15190	16830	17620	19670	20205	24165
	24'1" (7.34m)	9480	10445	10925	12170	14035	15885	17410	18175	20205	20815	24920
	26'1" (7.95m)	9885	10925	11475	12590	14460	16475	18175	18775	20850	21530	25655
	Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

**PENT STEEL GARAGE**

**NEW TO THE MARKET**

- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Various Door Styles available (See options)
- Secure White 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- White 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	7190	8280	8890	9800	11765	12010	13335	14525	n/a	n/a	n/a
	16'1" (4.90m)	7495	8570	9170	10160	12085	12105	13695	14925	n/a	n/a	n/a
	18'1" (5.51m)	7805	8910	9530	10445	12530	12820	14085	15240	n/a	n/a	n/a
	20'1" (6.12m)	8125	9250	9850	10780	12850	13160	14510	15640	n/a	n/a	n/a
	22'1" (6.73m)	8485	9570	10160	11120	13260	13500	14925	16030	n/a	n/a	n/a
	24'1" (7.34m)	8745	9885	10480	11405	13635	13905	15240	16440	n/a	n/a	n/a
	26'1" (7.95m)	9035	10225	10855	11815	14120	14460	15855	17085	n/a	n/a	n/a
	Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**GARDEN ROOMS**

**NEW TO THE MARKET**


- White PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- White 4'0" (1.22m) wide fully glazed French Doors
- Two White 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



Type ▶	PENT STEEL GARDEN ROOM							APEX STEEL GARDEN ROOM							
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	8055	8095	8135	8420	8590	8915	9640	8295	8355	8430	8860	9070	9440	9995
	6'1" (1.85m)	8250	8295	8335	8535	8705	9050	9765	8380	8430	8555	9010	9210	9510	10185
	8'1" (2.46m)	8355	8410	8440	8705	8830	9135	9890	8495	8555	8630	9210	9335	9670	10340
	10'1" (3.07m)	8420	8460	8505	8830	8985	9325	10120	8620	8660	8725	9335	9510	9900	10520
	12'1" (3.68m)	8505	8545	8580	8985	9230	9605	10445	8725	8775	8820	9510	9785	10165	10805
	14'1" (4.29m)	8580	8620	8660	9280	9565	10005	10960	8820	8860	8905	9775	10015	10445	11255
	16'1" (4.90m)	8755	8810	8850	9365	9955	10375	11465	9030	9070	9105	9975	10435	10805	11655
	Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

**Cladding Options**


**Brick Cladding**




**Plank Cladding**



**Quattro Cladding**




**Shadow Cladding**



**Premium Timber Cladding**



**Superior Quality Steel Framework**



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for

All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

### APEX STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



APEX STEEL GARAGE (Pitched Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	8170	9135	9610	10960	12800	13835	15430	16500	18550	19150	22900
Length ▶	16'1" (4.90m)	8505	9555	10010	11345	13255	14345	16220	17130	19130	19900	23725
Length ▶	18'1" (5.51m)	8925	9995	10540	11940	13710	15045	16800	17780	19850	20605	24515
Length ▶	20'1" (6.12m)	9380	10415	10870	12325	14135	15520	17445	18375	20535	21165	25285
Length ▶	22'1" (6.73m)	9835	10855	11345	12660	14605	16380	18150	18990	21215	21795	26075
Length ▶	24'1" (7.34m)	10190	11240	11765	13100	15080	17130	18760	19605	21795	22425	26880
Length ▶	26'1" (7.95m)	10625	11765	12360	13570	15590	17765	19570	20235	22480	23235	27670
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

### PENT STEEL GARAGE

NEW TO THE MARKET

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Black Vertical Up and Over door (Other options available)
- Secure Black 3' (915mm) wide Multi Pont Point Locking Steel Personnel Door
- Anthracite 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT STEEL GARAGE (Rearward Sloping Roof)												
Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)					
Length ▶	14'1" (4.29m)	7735	8910	9540	10540	12680	12925	14345	15640	n/a	n/a	n/a
Length ▶	16'1" (4.90m)	8050	9225	9855	10940	12995	13030	14730	16080	n/a	n/a	n/a
Length ▶	18'1" (5.51m)	8400	9575	10240	11255	13500	13800	15170	16450	n/a	n/a	n/a
Length ▶	20'1" (6.12m)	8730	9925	10590	11610	13855	14185	15625	16870	n/a	n/a	n/a
Length ▶	22'1" (6.73m)	9100	10260	10940	11960	14290	14555	16080	17270	n/a	n/a	n/a
Length ▶	24'1" (7.34m)	9400	10610	11275	12290	14695	14975	16450	17695	n/a	n/a	n/a
Length ▶	26'1" (7.95m)	9715	10995	11680	12715	15220	15590	17080	18410	n/a	n/a	n/a
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

### GARDEN ROOMS

- Anthracite PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Anthracite 4'0" (1.22m) wide fully glazed French Doors
- Two Anthracite 2'0" (0.60m) wide full height PVCu Windows
- Black Guttering and downpipes
- Other options available see price list for options (pages 14-15)



PENT



APEX

Type ▶	PENT STEEL GARDEN ROOM							APEX STEEL GARDEN ROOM							
	Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)
Length ▶	4'1" (1.24m)	8355	8390	8440	8745	8935	9300	9995	8610	8670	8765	9230	9375	9775	10385
Length ▶	6'1" (1.85m)	8565	8620	8660	8870	9060	9430	10130	8705	8765	8895	9315	9510	9870	10480
Length ▶	8'1" (2.46m)	8670	8735	8755	9060	9195	9545	10280	8830	8895	8985	9510	9680	10025	10655
Length ▶	10'1" (3.07m)	8745	8790	8850	9195	9385	9670	10510	8955	9010	9080	9680	9860	10260	10845
Length ▶	12'1" (3.68m)	8850	8895	8935	9385	9555	9975	10750	9090	9135	9185	9860	10165	10470	11140
Length ▶	14'1" (4.29m)	8915	8975	9020	9605	9920	10405	11320	9210	9240	9280	10155	10320	10760	11600
Length ▶	16'1" (4.90m)	9115	9165	9220	9710	10330	10690	11835	9325	9375	9420	10375	10750	11140	12055
Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

### Cladding Options


#### Brick Cladding



#### Plank Cladding




#### Quattro Cladding



#### Shadow Cladding




#### Premium Timber Cladding



### Superior Quality Steel Framework



NEW TO THE MARKET



NEW TO THE MARKET

The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for

All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

**APEX STEEL GARAGE**

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



**APEX STEEL GARAGE (Pitched Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)	
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)		2 x 9' (2.74m)		2 x 10' (3.05m)	
Length ▶	14'1" (4.29m)	8170	9135	9610	10960	12800	13835	15430	16500	18550	19150	22900
◀	16'1" (4.90m)	8505	9555	10010	11345	13255	14345	16220	17130	19130	19900	23725
	18'1" (5.51m)	8925	9995	10540	11940	13710	15045	16800	17780	19850	20605	24515
	20'1" (6.12m)	9380	10415	10870	12325	14135	15520	17445	18375	20535	21165	25285
	22'1" (6.73m)	9835	10855	11345	12660	14605	16380	18150	18990	21215	21795	26075
	24'1" (7.34m)	10190	11240	11765	13100	15080	17130	18760	19605	21795	22425	26880
	26'1" (7.95m)	10625	11765	12360	13570	15590	17765	19570	20235	22480	23235	27670
	Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

**PENT STEEL GARAGE**

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Woodgrain Vertical Up and Over door
- Secure Woodgrain 3' (915mm) wide PVCu Multi Pont Point Locking Personnel Door
- Woodgrain 4'0" (1.22m) wide fixed PVCu window
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



**PENT STEEL GARAGE (Rearward Sloping Roof)**

Width ▶	8'3" (2.51m)	9'3" (2.82m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	18'3" (5.56m)	20'3" (6.17m)	22'3" (6.78m)	24'3" (7.39m)	26'3" (8.00m)
Door Width ▶	7' (2.13m)	8' Door (2.44m)		10' (3.05m)	2 x 7' (2.13m)		2 x 8' Doors (2.44m)				
Length ▶	14'1" (4.29m)	7735	8910	9540	10540	12680	12925	14345	15640	n/a	n/a
◀	16'1" (4.90m)	8050	9225	9855	10940	12995	13030	14730	16080	n/a	n/a
	18'1" (5.51m)	8400	9575	10240	11255	13500	13800	15170	16450	n/a	n/a
	20'1" (6.12m)	8730	9925	10590	11610	13855	14185	15625	16870	n/a	n/a
	22'1" (6.73m)	9100	10260	10940	11960	14290	14555	16080	17270	n/a	n/a
	24'1" (7.34m)	9400	10610	11275	12290	14695	14975	16450	17695	n/a	n/a
	26'1" (7.95m)	9715	10995	11680	12715	15220	15590	17080	18410	n/a	n/a
	Additional 2"	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

\*Maximum Length of 30'1" (9.17m)

**GARDEN ROOMS**

NEW TO THE MARKET

- Woodgrain PVCu Fascias
- 40mm insulated walls
- 40mm insulated composite panel plastisol coated steel roof sheets
- Brick or plank effect finish externally (Options below)
- Woodgrain 4'0" (1.22m) wide fully glazed PVCu French Doors
- Two Woodgrain 2'0" (0.60m) wide full height PVCu Windows
- Guttering and downpipes
- Other options available see price list for options (pages 14-15)

AVAILABLE IN:

GOLDEN OAK ROSEWOOD



PENT



APEX

Type ▶	PENT STEEL GARDEN ROOM							APEX STEEL GARDEN ROOM							
Width ▶	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	4'3" (1.29m)	6'3" (1.90m)	8'3" (2.51m)	10'3" (3.12m)	12'3" (3.73m)	14'3" (4.34m)	16'3" (4.95m)	
Length ▶	4'1" (1.24m)	8355	8390	8440	8745	8935	9300	9995	8610	8670	8765	9230	9375	9775	10385
◀	6'1" (1.85m)	8565	8620	8660	8870	9060	9430	10130	8705	8765	8895	9315	9510	9870	10480
	8'1" (2.46m)	8670	8735	8755	9060	9195	9545	10280	8830	8895	8985	9510	9680	10025	10655
	10'1" (3.07m)	8745	8790	8850	9195	9385	9670	10510	8955	9010	9080	9680	9860	10260	10845
	12'1" (3.68m)	8850	8895	8935	9385	9555	9975	10750	9090	9135	9185	9860	10165	10470	11140
	14'1" (4.29m)	8915	8975	9020	9605	9920	10405	11320	9210	9240	9280	10155	10320	10760	11600
	16'1" (4.90m)	9115	9165	9220	9710	10330	10690	11835	9325	9375	9420	10375	10750	11140	12055
	Additional 2'	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a

**Cladding Options**


**Brick Cladding**



**Plank Cladding**




**Quattro Cladding**



**Shadow Cladding**



**Premium Timber Cladding**




**Superior Quality Steel Framework**

NEW TO THE MARKET



The unique design offers a cold rolled 75mm thick steel framed garage, finished externally in a brick or plank finish, and internally in a smooth white steel sheet. The walls and roof will be supplied in a 40mm insulation to ensure that the building will be fit for

NEW TO THE MARKET



All of our steel frames have three holes pre-formed to allow easy fitting of cables and any other services required

**Hanson Buildings Limited**

Warren Road, Green Lane Industrial Park,  
Featherstone, WF7 6EL

**Tel:** 01977 695111

**Email:** [sales@hansonbuildings.co.uk](mailto:sales@hansonbuildings.co.uk)

